

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	("5999528" "6014370" "6229822" "6269081" "6624770" "6636529" "6647528" "6654383" "200374449").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L2	469	((SONET SDH (SONET\$6)) and (GFP))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L3	178	L2 and @ad< "20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L4	90	((SONET SDH (SONET\$6)) and (GFP near8 (loss synchron\$6)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L5	29	L4 and @ad< "20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L6	0	((SONET SDH (SONET\$6)) and (GFP near8 (loss with synchron\$6)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L7	10	((SONET SDH (SONET\$6)) and (GFP near8 (loss)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L8	5	L7 and @ad< "20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42

L9	288	((order\$6 near4 (set sets) same ((link initia\$6) with (buffer))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L10	171	L9 and @ad< "20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L11	8	((order\$6 near4 (set sets) same ((link initia\$6) with (buffer)))) and (SONET SDH)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L12	5	L11 and @ad< "20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L13	64	((order\$6 adj44 (set sets) same ((recover\$6))) and (SONET SDH)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L14	43	L13 and @ad< "20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L15	7	((order\$6 adj44 (set sets) same ((recover\$6))) and ((SONET SDH) same (GFP))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L16	3	L15 and @ad< "20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L17	9	((order\$6 adj44 (set sets) same ((recover\$6))) and ((SONET SDH fibre fiber optic \$6) same (GFP))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42

L18	5	L17 and @ad< "20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L19	0	((SONET SDH (SONET\$6) fibre fiber) and (GFP near8 (loss with synchron\$6)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L20	94	((SONET SDH (SONET\$6) fiber fibre) and (GFP near8 (loss)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L21	51	L20 and @ad< "20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L22	0	L21 and ((order\$6 near4 (set sets)) same ((link initial\$6) with (buffer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L23	0	L21 and ((order\$6 near4 (set sets)) same (recover\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L24	4	L21 and ((order\$6 near4 (set sets)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L25	33	L21 and ((link near4 initial \$6) reinitial\$6 (buffer near4 recover\$6) recover\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L26	0	L21 and (((link near4 initial \$6) reinitial\$6) same ((buffer near4 recover\$6) recover\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42

L27	33	L21 and (((link near4 initiat \$6) reinitiat\$6) abd ((buffer near4 recover\$6) recover\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L28	2	L21 and (((link near4 initiat \$6) reinitiat\$6) and ((buffer near4 recover\$6) recover\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L29	2	"20050216783".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L30	11	((US-20040202198-\$ or US- 20040114924-\$ or US- 20030074449-\$ or US- 20050010849-\$).did. or (US- 6624770-\$ or US-6269081-\$ or US-6014370-\$ or US- 5999528-\$ or US-6654383-\$ or US-6636529-\$ or US- 6229822-\$ or US-6647528-\$ or US-7020814-\$ or US- 7187650-\$).did.	US-PGPUB; USPAT	OR	ON	2009/03/16 08:42
L31	0	L30 and CHEC	US-PGPUB; USPAT	OR	ON	2009/03/16 08:42
L32	90	((SONET SDH (SONET\$6)) and (GFP near8 (loss synchron\$6)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L33	29	L32 and @ad<"20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L34	10	((SONET SDH (SONET\$6)) and (GFP near8 (loss)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42

L35	5	L34 and @ad< "20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L36	8	("5999528" "6014370" "6229822" "6269081" "6624770" "6636529" "6647528" "6654383" "200374449").pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L37	8716	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L38	6805	L37 and (@ad< "20040213" @rlad< "20040213")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L39	1	"7187650".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L40	14	((US-20040202198-\$ or US- 20050010849-\$ or US- 20040114924-\$ or US- 20030074449-\$).did. or (US- 7020814-\$ or US-7187650-\$ or US-6624770-\$ or US- 6269081-\$ or US-6014370-\$ or US-5999528-\$ or US- 6654383-\$ or US-6636529-\$ or US-6229822-\$ or US- 6647528-\$).did.	US-PGPUB; USPAT	OR	ON	2009/03/16 08:42
L41	1	L40 and poll\$5	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L42	1	L40 and chec	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L43	469	((SONET SDH (SONET\$6)) and (GFP))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L44	29	L43 and chec	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L45	26	L43 and (chec with error)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L46	5	L43 and (chec with error with bit\$6)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42

L47	15	(US-20040114924-\$ or US-20030074449-\$ or US-20040202198-\$ or US-20050010849-\$ or US-20060126662-\$).did. or (US-7020814-\$ or US-7187650-\$ or US-6624770-\$ or US-6269081-\$ or US-6014370-\$ or US-5999528-\$ or US-6654383-\$ or US-6636529-\$ or US-6229822-\$ or US-6647528-\$).did.	US-PGPUB; USPAT	OR	ON	2009/03/16 08:42
L48	0	L47 and (channel near2 operational)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L49	2	L43 and (channel near2 operational)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L50	21436	((SONET SDH (SONET\$6)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L51	94	L50 and (channel near2 operational)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L52	1	L50 and (channel near2 operational) and (chec with error with bit)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L53	1	L50 and (channel near2 operational) and (chec)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L54	8	L50 and (channel near2 operational) and (order\$6 near2 set)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L55	0	L50 and (channel near2 operational near2 "not") and (order\$6 near2 set)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L56	0	L50 and (channel near2 operational near2 "not")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L57	1	L50 and (ordered near2 set) and (chec with error with bit)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L58	0	(channel near2 operational near2 "not") same (order\$6 near2 set)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L59	0	(channel near2 operational near2 "not") and (order\$6 near2 set)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42

L60	0	L46 and @ad<"20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L61	11	L44 and @ad<"20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L62	9	L45 and @ad<"20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L63	16	(US-20050216783-\$ or US-20040114924-\$ or US-20030074449-\$ or US-20040202198-\$ or US-20050010849-\$ or US-20060126662-\$).did. or (US-7187650-\$ or US-6624770-\$ or US-6269081-\$ or US-6014370-\$ or US-5999528-\$ or US-6654383-\$ or US-6636529-\$ or US-6229822-\$ or US-7020814-\$ or US-6647528-\$ or US-7298694-\$).did.	US-PGPUB; USPAT	OR	ON	2009/03/16 08:42
L64	0	L63 and (wait\$6 near2 predefin\$6)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L65	2	L43 and (wait\$6 near2 predefin\$6)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L66	24	L50 and (wait\$6 near2 predefin\$6)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/16 08:42
L67	18	L66 and @ad<"20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42
L68	2	"7020814".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:42

L69	71	((SONET SDH (SONET\$6)) and (GFP)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:56
L70	12	((SONET SDH (SONET\$6)) and (GFP near8 (loss synchron\$6))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:56
L71	0	((SONET SDH (SONET\$6)) and (GFP near8 (loss with synchron\$6))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:56
L72	2	((SONET SDH (SONET\$6)) and (GFP near8 (loss))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:56
L73	13	((order\$6 near4 (set sets) same ((link initia\$6) with (buffer))))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:57
L74	1	((order\$6 near4 (set sets) same ((link initia\$6) with (buffer))) and (SONET SDH)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:57
L75	4	((order\$6 adj44 (set sets) same ((recover\$6))) and (SONET SDH)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:57
L76	1	((order\$6 adj44 (set sets) same ((recover\$6))) and ((SONET SDH) same (GFP))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:58
L77	1	((order\$6 adj44 (set sets) same ((recover\$6))) and ((SONET SDH) same (GFP))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:58

L78	1	((order\$6 adj44 (set sets) same ((recover\$6))) and ((SONET SDH fibre fiber optic \$6) same (GFP))),dm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:58
L79	2	((SONET SDH (SONET\$6) fiber fibre) and (GFP near8 (loss)))).dm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 08:59
L80	1	L21 and (((link near4 initial \$6) reinitial\$6 (buffer near4 recover\$6) recover\$6)).dm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 09:00
L81	45	(69 70 71 72 73 74 75 76 77 78 79 80) and (@ad<"20040213" @rlad<"20040213")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 09:02
L82	9	81 and (link near4 synchro \$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 09:03
S1	14	("5999528" "6014370" "6229822" "6269081" "6624770" "6636529" "6647528" "6654383" "200374449").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:31
S2	320	((SONET SDH (SONET\$6)) and (GFP))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:34
S3	151	S2 and @ad<"20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:35
S4	61	((SONET SDH (SONET\$6)) and (GFP near8 (loss synchron\$6)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:05

S5	25	S4 and @ad< "20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:05
S6	0	((SONET SDH (SONET\$6)) and (GFP near8 (loss with synchron\$6)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:20
S7	8	((SONET SDH (SONET\$6)) and (GFP near8 (loss)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:06
S8	4	S7 and @ad< "20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:06
S9	253	((order\$6 near4 (set sets)) same ((link initia\$6) with (buffer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:21
S10	167	S9 and @ad< "20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:04
S11	8	((order\$6 near4 (set sets)) same ((link initia\$6) with (buffer))) and (SONET SDH)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:07
S12	5	S11 and @ad< "20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:08
S13	56	((order\$6 adj44 (set sets)) same ((recover\$6))) and (SONET SDH)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:08

S14	39	S13 and @ad<"20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:08
S15	6	((order\$6 adj44 (set sets)) same ((recover\$6))) and ((SONET SDH) same (GFP))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:15
S16	2	S15 and @ad<"20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:16
S17	8	((order\$6 adj44 (set sets)) same ((recover\$6))) and ((SONET SDH fibre fiber optic \$6) same (GFP))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:16
S18	4	S17 and @ad<"20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:21
S19	0	((SONET SDH (SONET\$6) fibre fiber) and (GFP near8 (loss with synchron\$6)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:20
S20	71	((SONET SDH (SONET\$6) fibre fiber) and (GFP near8 (loss)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:20
S21	48	S20 and @ad<"20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:21
S22	0	S21 and ((order\$6 near4 (set sets)) same ((link initia\$6) with (buffer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:21

S23	0	S21 and ((order\$6 near4 (set sets)) same (recover\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:22
S24	4	S21 and ((order\$6 near4 (set sets)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:23
S25	30	S21 and (((link near4 initial\$6) reinitial\$6 (buffer near4 recover\$6) recover\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:25
S26	0	S21 and (((link near4 initial\$6) reinitial\$6) same ((buffer near4 recover\$6) recover\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:25
S27	30	S21 and (((link near4 initial\$6) reinitial\$6) abd ((buffer near4 recover\$6) recover\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:26
S28	2	S21 and (((link near4 initial\$6) reinitial\$6) and ((buffer near4 recover\$6) recover\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:42
S29	2	"20050216783".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:42
S30	14	(US-20040202198-\$ or US-20040114924-\$ or US-20030074449-\$ or US-20050010849-\$).did. or (US-6624770-\$ or US-6269081-\$ or US-6014370-\$ or US-5999528-\$ or US-6654383-\$ or US-6636529-\$ or US-6229822-\$ or US-6647528-\$ or US-7020814-\$ or US-7187650-\$).did.	US-PGPUB; USPAT	OR	ON	2007/06/10 16:54

S31	1	S30 and CHEC	US-PGPUB; USPAT	OR	ON	2007/06/10 17:04
S32	61	((SONET SDH (SONET\$6)) and (GFP near8 (loss synchron\$6)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:05
S33	25	S32 and @ad<"20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:05
S34	8	((SONET SDH (SONET\$6)) and (GFP near8 (loss)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:06
S35	4	S34 and @ad<"20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:06
S36	8	("5999528" "6014370" "6229822" "6269081" "6624770" "6636529" "6647528" "6654383" "200374449").pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/12/13 20:52
S37	6905	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/12/13 21:05
S38	5814	S37 and (@ad<"20040213" @rlad<"20040213")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/12/13 21:06
S39	1	"7187650".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/12/13 21:15
S40	14	((US-20040202198-\$ or US- 20050010849-\$ or US- 20040114924-\$ or US- 20030074449-\$).did. or (US- 7020814-\$ or US-7187650-\$ or US-6624770-\$ or US- 6269081-\$ or US-6014370-\$ or US-5999528-\$ or US- 6654383-\$ or US-6636529-\$ or US-6229822-\$ or US- 6647528-\$).did.	US-PGPUB; USPAT	OR	ON	2008/02/29 08:53

S41	1	S40 and poll\$5	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 08:53
S42	1	S40 and chec	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 09:03
S43	381	((SONET SDH (SONET\$6)) and (GFP))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 09:07
S44	26	S43 and chec	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 09:08
S45	24	S43 and (chec with error)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 09:08
S46	5	S43 and (chec with error with bit\$6)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 09:08
S47	15	((US-20040114924-\$ or US- 20030074449-\$ or US- 20040202198-\$ or US- 20050010849-\$ or US- 20060126662-\$).did. or (US- 7020814-\$ or US-7187650-\$ or US-6624770-\$ or US- 6269081-\$ or US-6014370-\$ or US-5999528-\$ or US- 6654383-\$ or US-6636529-\$ or US-6229822-\$ or US- 6647528-\$).did.	US-PGPUB; USPAT	OR	ON	2008/02/29 09:16
S48	0	S47 and (channel near2 operational)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 09:16
S49	2	S43 and (channel near2 operational)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 09:16
S50	19038	((SONET SDH (SONET\$6)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 09:18
S51	87	S50 and (channel near2 operational)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 09:18
S52	1	S50 and (channel near2 operational) and (chec with error with bit)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 09:18

S53	1	S50 and (channel near2 operational) and (chec)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 09:19
S54	8	S50 and (channel near2 operational) and (order\$6 near2 set)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 09:23
S55	0	S50 and (channel near2 operational near2 "not") and (order\$6 near2 set)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 09:25
S56	0	S50 and (channel near2 operational near2 "not")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 09:25
S57	1	S50 and (ordered near2 set) and (chec with error with bit)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 09:32
S58	0	(channel near2 operational near2 "not") same (order\$6 near2 set)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 09:32
S59	0	(channel near2 operational near2 "not") and (order\$6 near2 set)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 09:33
S60	0	S46 and @ad< "20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 09:34
S61	11	S44 and @ad< "20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 09:35
S62	9	S45 and @ad< "20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 09:37
S63	17	(US-20050216783-\$ or US-20040114924-\$ or US-20030074449-\$ or US-20040202198-\$ or US-20050010849-\$ or US-20060126662-\$).did. or (US-7187650-\$ or US-6624770-\$ or US-6269081-\$ or US-6014370-\$ or US-5999528-\$ or US-6654383-\$ or US-6636529-\$ or US-6229822-\$ or US-7020814-\$ or US-6647528-\$ or US-7298694-\$).did.	US-PGPUB; USPAT	OR	ON	2008/02/29 09:47

S64	0	S63 and (wait\$6 near2 predefin\$6)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 09:47
S65	2	S43 and (wait\$6 near2 predefin\$6)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 09:47
S66	18	S50 and (wait\$6 near2 predefin\$6)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 09:48
S67	16	S66 and @ad<"20040213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 09:48
S68	2	"7020814".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 13:21

3/ 16/ 09 9:24:11 AM

C:\Documents and Settings\tduong7\My Documents\EAST\Workspaces\10779411 - Method and system for efficient link recovery for fibre channel over SONET SDH transport path.wsp